

Machine

Inventory N°	10902
Description	Machining center
Brand	ALMAC
Model	CU 3005
Serial No	200813734
Year	2009



Heading

Nc-control	FANUC 31i M A-5
Longitudinal traverse (x-axis)	220 mm
Cross traverse (y-axis)	120 mm
Vertical travel (z axis)	230 mm
Rapid feed motion	30 m/min
Tool changer:	
Number	48
Arbors	ISO 25
Spindle speed	30000 t/min
Number hours (under power)	70315 h
Number hours (working process)	5371 h

Accessories


None

Pictures





HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 10902





HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 10902



HD pictures and videos on request.


All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° 10902



HD pictures and videos on request.
All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 10902






HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° 10902



2. DESCRIPTION
Océane partie de la documentation décrit les différentes parties de la machine ainsi que les Accessoires qui les composent ainsi que leurs caractéristiques.

2.1 Description générale


2.1.1 Caractéristiques techniques

Alimentations :	
Électrique :	3 x 400 V
Tension :	50/60 Hz
Préférence :	5 kW (7 avec aspirateur)
Publication :	
Pressurisation :	
Pression :	6 bars (90 PSI)
Consommation :	100 litres/min (200 l)
Capacités d'usinage :	
Course verticale, axe X :	230 mm
Course transversale, axe Y :	122 mm
Course verticale, axe Z :	223 mm
Nombre de broches :	
	1 x D80 - cône HSK 40 A
Bac d'arrosage + groupe de réfrigération :	
Arrosage :	100 litres
Puissance frigorifique :	2500 W
Cartouche filtrante :	30 microns
Précision :	
	3/1000 pour 100 mm
Généralités :	
Poids total :	4500KG
Emballé avec portes fermées	
Emballé avec portes ouvertes	
	3227 x 2312 x 2550 mm
	3257 x 2312 x 2550 mm


ALM025 A CE 1008 14.04.2007

HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 10902



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° **10902**



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.