

Machine

Inventory N° **12839**
Description Tour cnc

Brand **SCHAUBLIN**
Model **110 CNC**
Serial No **334 922**
Year **1995**



Heading


Control	FANUC 18T
Swing over cross-slide	115 mm
Maximum distance between centres	300 mm
Taper in spindle	B32
Maximum throughbore with collet w20	14.5 mm
Maximum throughbore with collet w25	19 mm
Maximum throughbore with collet b32	24 mm
Maximum throughbore with collet f38	32 mm
Maximum throughbore with collet b32	24 mm
Motor power	2.5 kW
Torque max.	30 Nm
Spindle speed	30-6000 t/min
Carriage	
Transversal stroke (x axis)	220 mm
Longitudinal stroke, z-axis	295 mm
Resolution, z-axis	0.001 mm
Resolution, x-axis (on radius)	0.001 mm
Turret	
Number of positions	8
Bore	35 mm
Tool section	12x12 mm
Number hours (under power)	17034 h

Accessories

Extincteur d'incendie 1



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 12839

Pictures





HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 12839






HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 12839



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 12839



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° 12839



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.