



Machine

Inventory N°	13567
Description	Milling machine
Brand	REIDEN
Model	FU 100
Serial No	
Year	N/A



Heading

Travels

Longitudinal traverse (x-axis)	700 mm
Cross traverse (y-axis)	250 mm
Vertical travel (z axis)	370 mm
Feeds	7.2-800 mm/min

Spindle

Speeds	45-2000 tr/min
--------	----------------

Table

Dimension of supporting table	900x300 mm
T-slots	3 x

Digital readout actif, number of axis	3
--	---

Type	SONY
------	------

Power supply

Operating voltage	3x380 VAC
-------------------	-----------

Over-all dimensions

Over-all-dimension (lenght-width-height)	1600x1900x1700 mm
Weight	1900 kg

Accessories

Digital readout actif, number of axis	1
--	---


HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° 13567

Pictures



HD pictures and videos on request.
All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° 13567



m/min	22		32		45		64		90		125		180		250		360		510		710		1000		1450		2000			
	5	10	15	20	25	30	35	40	45	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	
5																														
10																														
15																														
20																														
25																														
30																														
35																														
40																														
45																														
50																														
60																														
70																														
80																														
90																														
100																														
110																														
120																														
130																														
150																														
175																														
200																														
250																														



HD pictures and videos on request.
All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.