

## Machine

Inventory N°	<b>9938</b>
Description	Cylindrical grinder
State	<b>Neuve</b>
Brand	<b>UG 400</b>
Model	
Serial No	<b>7312</b>
Year	<b>2016</b>



## Heading

Centre height	100 mm
Distance between centres:	400 mm

## Grinding wheel

Dimension of grinding wheel:	350x50x127mm
Diameter min.	280 mm
Motor power	3.7 kW
Grinding wheel speeds	1800-2000 t/min
Total stroke	25 mm
Table speeds	0.05-5 m/min
Automatic forward feed	2 mm (minimum)
Max.table angular displacement	30(towards to the °
Max.table angular displacement	3(away from the °

## Grinding head

Swivelling range	0-90 °
Spindle speed	50-1000 t/min
Taper size	4 CM
Diam. collet chuck location	20 mm
Motor power	0.75 kW
Clamping chuck diameter	100 mm
Range of weight	max 30 kg

## Feeds


Avances rapide	50
Setting range of the rules	200 mm

## Tailstock

Holding taper:	3 CM
Machine's weight	2200 Kg
Pitch range steplessly adjust.	0-0.040 mm

HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° **9938**




Overall dimensions machine	mm
Length	3000 mm
Grinding accuracy	0.0003 mm
Width	1750 mm
Height	1600 mm

### Accessories

**Headstock**


1

### Pictures






HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.




Inventory N° 9938




HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.






Inventory N° 9938



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.



Inventory N° **9938**



HD pictures and videos on request.

All data such as technical specifications, weight, dimensions, illustrations are indicative and subject to change without notice.